




Surface Mounted Light

MAYSA

Golnoor

Light up Your Life



Learn more about “Maysa”

The Maysa spotlight is a versatile lighting solution for indoor spaces like stores and hypermarkets. With a 230V input voltage and 54W power, it features a durable body made from aluminum and iron with an electrostatic paint coating and a glass protector. Measuring L290xW94xH110 mm and weighing 1.5kg, it's both sturdy and compact. The IP42 protection rating ensures resistance to particles and liquids, making it suitable for various indoor environments. The adjustable light distribution angles of 25°, 60°, and 90° allow for precise beam control, while the color rendering index (CRI) of 75 ensures accurate and natural color representation.



Ceiling Luminaire



Class I



High PF



LED luminaire




Modular



Quick installation

- **Maysa**



Surface Mounted Light

5 years Golnoor Warranty

- **Index : Power (watt)**

— 54

- **Applications**

- Indoor
- Retail & Commercial
- Offices
- Residential Complexes
- Shops & Showrooms

- **Solutions**

- Architectural Lighting

MAYSA

TECHNICAL SPECIFICATIONS

Review the technical specifications, dimensions, performance data, and related resources for Maysa

Index (Power (watt))	54
Optical characteristics	
LEDs Per Module (pcs)	48
Initial SDCM (SDCM)	5
Color Rendering Index	75
LED Module Type	Integrated
Light Source	SMD LED
Lumen Maintenance Code	9
Luminous Flux (lm)	6,830 ~ 7,800 6830 · 7190 · 7200 · 7400 · 7580 · 7800
Color Temperature (K)	3000 4000 6500
Light Distribution Angle (°)	25 60 90
Electrical characteristics	
Input Voltage (V)	Min 180 Max 265
Input Frequency (Hz)	Min 50 Max 60
Nominal Input Voltage (V)	230
Nominal Input Frequency (Hz)	50
Power Factor	0.95
Total Harmonic Distortion (%)	15
Electric Shock Protection Class	I
LED Module Operating Voltage (V)	36
Type of Power Supply	Independent
General characteristics	
Mounting Type	Surface Mounted
Working Temperature Range (°C)	Min -45 Max 55
Maximum Relative Humidity (%)	95
Rated Useful Life L70B10 (h)	100000
Warranty (year)	5
Mechanical characteristics	
Housing Material	Die-cast Aluminum
Frame Material	Iron
Optical Cover Material	Tempered Glass
Surface Finish	Electrostatic Powder Coating
Dimensions (mm)	L: 290 · W: 94 · H: 110
Weight (kg)	1.5
Ingress Protection	IP42


L: length · W: width · H: height · Ø: diameter

This is a compact product summary; visit the website for more details.

<https://golnoor.com/en/product/maysa>

Dimensions

Review overall dimensions and layout drawings for installation planning, placement, and site coordination.



01 | Maysa

Golnoor

Light up Your Life

WWW.GOLNOOR.COM
