



LED Emergency Sign Light

VISTA

Golnoor

Light up Your Life



Learn more about “Vista”

The Vista light, boasting a power output of 5 watts and compact dimensions (L275xW225xH40 mm), elegantly combines efficiency and functionality, making it an ideal choice for emergency lighting in indoor environments. With its reliable 3.6V NiCd battery, the fixture ensures up to three hours of illumination during critical moments, providing peace of mind when it is needed most. Its user-friendly design allows for effortless installation on both ceilings and walls, which enhances its versatility for diverse settings—be it schools, hospitals, offices, residential spaces, or retail shops. The Vista light not only illuminates but also enhances safety, ensuring a secure atmosphere in all types of environments.



Class I



LED luminaire



Wall luminaire

- **Vista**



LED Emergency Sign Light

5 years Golnoor Warranty

- **Index : Mounting Type**

- Wall Mounted
- Surface Mounted
- Pendant Mounted

- **Applications**

- Retail & Commercial
- Indoor
- Hospitals
- Airports & Stations

VISTA

TECHNICAL SPECIFICATIONS

Review the technical specifications, dimensions, performance data, and related resources for Vista

Index (Mounting Type)	WALL MOUNTED	SURFACE MOUNTED	PENDANT MOUNTED
Optical characteristics			
LEDs Per Module (pcs)	8		
Color Temperature (K)	6500		
LED Module Type	Integrated		
Light Source	SMD LED		
Electrical characteristics			
Power (W)	5		
Input Voltage (V)	Min 180 Max 265		
Input Frequency (Hz)	Min 50 Max 60		
Nominal Input Voltage (V)	230		
Nominal Input Frequency (Hz)	50		
Nominal Input Current (A)	0.043		
Power Factor	0.5		
Total Harmonic Distortion (%)	10		
Electric Shock Protection Class	I		
Battery Type	3.6V Nicd		
Emergency Operating Time (h)	96		
Nominal Input Power (W)	5		
Type of Power Supply	Independent		
General characteristics			
Working Temperature Range (°C)	Min -45 Max 55		
Maximum Relative Humidity (%)	90		
Operating Temperature (°C)	3		
Rated Useful Life L70B10 (h)	70000		
Warranty (year)	5		
Mechanical characteristics			
Housing Material	Extruded Aluminium		
Optical Cover Material	PMMA		
Surface Finish	Anodised Finish		
Dimensions (mm)	L: 275 · W: 225 · H: 40		
Weight (kg)	Min 0.620 Max 0.740		


L: length · W: width · H: height · Ø: diameter

This is a compact product summary; visit the website for more details.

<https://golnoor.com/en/product/vista>

Dimensions

Review overall dimensions and layout drawings for installation planning, placement, and site coordination.



01 | Vista

Golnoor

Light up Your Life

WWW.GOLNOOR.COM
